Safety Data Sheet

MINERAL SILICATE PRIMER

NON-HAZARDOUS ACCORDING TO THE CRITERIA OF WORKSAFE AUSTRALIA

1. PRODUCT & SUPPLIER IDENTIFICATION

Trade Type	Murobond Mineral Silicate Primer
Product Class	Unpigmented potassium silicate emulsion.
Intended Use	Consolidating bare masonry surfaces before finish coats.
Supplier	Murobond Coatings Pty Ltd 73 Dickson Avenue
	ARTARMON NSW 2064
Telephone Number	02 9906 7299
Facsimile Number	02 9439 7593

2. HAZARDS IDENTIFICATION

Appearance	Milky white water thin liquid, low odour.
Route(s) of Entry	Eye contact, ingestion, inhalation and skin contact.
Closed containers may rupture when exposed to extreme heat.	

3. COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENTS	CAS NO	CONTENT	MAXIMUM EXPOSURE LIMITS
POTASSIUM SILICATE	Proprietary	< 35%	None Assigned
ADDITIVES (NON HAZARDOUS)	N/A	< 5%	None Assigned
ACRYLIC POLYMER	Proprietary	< 10%	None Assigned
WATER	7732-18-5	to 100%	None Assigned

4. FIRST AID MEASURES

Eyes	If in eyes, hold eyelids apart and flush the eye continuously with running water for at least 15 minutes. Seek medical attention if irritation occurs.
Ingestion	If swallowed in quantity, dilute by giving 2 glasses of water to drink. Do NOT induce vomiting. Seek urgent medical attention of frothing at the mouth occurs.
Inhalation	First aid is not generally required. If symptoms such as dizziness or headaches occur, remove to fresh air. If symptoms do not subside seek medical attention.
Skin	If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Wash clothing before re-use. If irritation occurs, seek medical attention.

5. FIRE FIGHTING MEASURES

Flash Point	Not applicable
General Hazards	Containers of this material may build up pressure if exposed
	to heat.
Fire Fighting	
Extinguishing Media	All.
Fire Fighting Equipement	Wear self-contained breathing apparatus (SCBA) and full fire
	fighting protective clothing. Thoroughly decontaminate all
	protective equipment after use.
Fire & Explosion Hazards	This material is not flammable.

6. ACCIDENTAL RELEASE

Small Spills	Absorb the liquid with inert material such as dry sand or earth
	and place it in a chemical waste container.
Large Spills	Persons not wearing protective equipment should be evacuated
	from the area of spill until cleanup has been completed. Stop
	leak at source when it is safe to do so. Dyke and pump the liquid
	into waste containers.

7. HANDLING & STORAGE

Store in a cool dry area, away from direct sunlight. Keep containers closed

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines	No limit value established for this product
Engineering Controls	Use in a well ventilated area
Personal Protection	This product is alkali so skin and eyes should be covered with
	gloves, overalls, and glasses with side shields to prevent contact.

9. PHYSICAL & CHEMICAL PROPERTIES

Appearance & Odour:	Milky thin liquid with mild odour.
Boiling Point:	100°C (Water)
Flash Point:	Not applicable
Vapour Density:	Not available
Specific Gravity:	1.05
Evaporation Rate:	Not available
Flammability Limits:	Not applicable
Solubility in Water:	Completely dispersible
pH:	Approx. 11
Volatile Organic	
Compound:	< 1g/litre

10. STABILITY & REACTIVITY

Stability	Stable
Hazardous	Will not occur.
Polymerisation	None known.
Incompatibility	
Conditions To Avoid	Warm storage.
Hazardous	
Decomposition Products	Can yield carbon monoxide if exposed to fire.
Hazardous Reactions	None known.

11. TOXICOLOGICAL INFORMATION

Effects of prolonged exposure

Eyes	Alkalinity will irritate eyes.
Skin	Contact with skin may result in irritation.
Inhalation	With poor ventilation, may cause irritation to mucous membranes.
Ingestion	Large quantities may cause nausea/vomiting and alkali burns to throat.
Chronic Effects	None expected.

12. ECOLOGICAL INFORMATION

Free of Hazardous Air Pollutants (HAPS). Avoid contaminating Waterways.

13. DISPOSAL INFORMATION

Refer to State/Territory Land Waste Management Authority. **Do not pour down drains. Dispose of in approved landfill.**

14. TRANSPORT INFORMATION

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code), IMDG & IATA.

15. REGULATORY INFORMATION

Non Hazardous according to the criteria of Worksafe Australia.

Hazard CategoryNonePoisons ScheduleNone

16. OTHER INFORMATION

All components within this product are listed on the AICS. Reason Issued: Revised SDS Prepared By: Murobond Coatings Pty Ltd Date: July 2024

This information is provided in good faith and is correct to the best of Murobond's knowledge at the date of issue. Murobond makes no representation as to its completeness or accuracy. Customers should determine the suitability or otherwise of this product for their intended purpose before using. Murobond disclaims responsibility for damage of any kind resulting from the use of this information.

THERE ARE NO WARRANTIES OR REPRESENTATIONS, EXPRESSED OR IMPLIED, INCLUDING THOSE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THIS INFORMATION OR TO THE PRODUCT IT DESCRIBES.

MUROBOND