Safety Data Sheet

MUROBOND CEMENT PAINT

NON-HAZARDOUS ACCORDING TO THE CRITERIA OF WORKSAFE AUSTRALIA

1. PRODUCT & SUPPLIER IDENTIFICATION

Trade Name Murobond Cement Paint

Product Class Pigmented cementitious powdered paint.

Intended Use Protective and decorative finish for bare masonry surfaces.

Supplier Murobond Coatings Pty Ltd 73 Dickson Avenue

ARTARMON NSW 2064

 Telephone Number
 02 9906 7299

 Facsimile Number
 02 9439 7593

2. HAZARDS IDENTIFICATION

Appearance White or coloured powder, no odour.

Route(s) of Entry Eye contact, ingestion, inhalation and skin contact.

Closed containers may rupture when exposed to extreme heat.

3. COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENTS	CAS NO	CONTENT	MAXIMUM EXPOSURE LIMITS
CALCIUM SILICATE	Proprietary	< 60%	None Assigned
CALCIUM CARBONATE	Proprietary	< 10%	None Assigned
ADDITIVES (NON HAZARDOUS)	N/A	< 10%	None Assigned
ORGANIC COMPOUNDS	Proprietary	< 15%	None Assigned
METAL OXIDES/ SALTS	N/A	< 10%	None Assigned
SILICON OXIDES/ SALTS	N/A	< 10%	None Assigned

4. FIRST AID MEASURES

Eyes If in eyes, hold eyelids apart and flush the eye continuously with

running water for at least 15 minutes. Seek medical attention if

irritation occurs.

Ingestion If swallowed in quantity, dilute by giving 2 glasses of water to drink.

Do NOT induce vomiting. Seek urgent medical attention if frothing

of the mouth occurs..

Inhalation First aid is not generally required. If symptoms such as dizziness or

headaches occur, remove to fresh air. If symptoms do not subside

seek medical attention.

4. FIRST AID MEASURES (CONT'D)

Skin If skin or hair contact occurs, remove contaminated clothing and

flush skin and hair with running water. Wash clothing before re-use.

If irritation occurs, seek medical attention.

5. FIRE FIGHTING MEASURES

Flash Point Not applicable

General Hazards Containers of this material may build up pressure if exposed

to heat.

Fire Fighting

Extinguishing Media All.

Fire Fighting Equipement Wear self-contained breathing apparatus (SCBA) and full fire

fighting protective clothing. Thoroughly decontaminate all

protective equipment after use.

Fire & Explosion Hazards This material is not flammable.

6. ACCIDENTAL RELEASE

Small Spills Collect the powder with dustpan and brush with care not to create

dust. Misting with water may be advised. Place it in a chemical

waste container.

Large Spills Persons not wearing protective equipment should be evacuated

from the area of spill until cleanup has been completed. Stop leak at source when it is safe to do so. Mist spray spill with water and collect powder into waste containers by shovel with care not

to create dust.

7. HANDLING & STORAGE

Store in a cool dry area, away from direct sunlight. Keep containers closed

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines No limit value established for this product

Personal Protection Avoid contact with skin and eyes. Gloves, overalls, and glasses

should be worn.

9. PHYSICAL & CHEMICAL PROPERTIES

Appearance & Odour: Coloured powder with no odour.

Boiling Point: N/A)
Flash Point: N/A
Vapour Density: N/A
Specific Gravity: N/A
Evaporation Rate: N/A

Flammability Limits: Not applicable

Solubility in Water: Insoluble pH: Approx 11

Volatile Organic

Compound: Og/litre

10. STABILITY & REACTIVITY

Stability Stable

Hazardous

PolymerisationWill not occur.IncompatibilityNone known.Conditions To AvoidWarm storage.

Hazardous

Decomposition Products None.

Hazardous Reactions None known.

11. TOXICOLOGICAL INFORMATION

Effects of prolonged exposure

Eyes Alkalinity will irritate eyes.

Skin Contact with skin may result in irritation.

Inhalation With poor ventilation, may cause irritation to mucous

membranes.

Ingestion Large quantities may cause nausea/vomiting.

Chronic Effects None expected.

12. ECOLOGICAL INFORMATION

Free of Hazardous Air Pollutants (HAPS). Avoid contaminating Waterways.

13. DISPOSAL INFORMATION

Refer to State/Territory Land Waste Management Authority.

Do not pour down drains. Dispose of in approved landfill.

14. TRANSPORT INFORMATION

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code), IMDG & IATA.

15. REGULATORY INFORMATION

Non Hazardous according to the criteria of Worksafe Australia.

Hazard Category None
Poisons Schedule None

16. OTHER INFORMATION

All components within this product are listed on the AICS.

Reason Issued: Revised SDS Prepared By: Murobond Coatings Pty Ltd Date: July 2024 This information is provided in good faith and is correct to the best of Murobond's knowledge at the date of issue. Murobond makes no representation as to its completeness or accuracy. Customers should determine the suitability or otherwise of this product for their intended purpose before using. Murobond disclaims responsibility for damage of any kind resulting from the use of this information.

THERE ARE NO WARRANTIES OR REPRESENTATIONS, EXPRESSED OR IMPLIED, INCLUDING THOSE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THIS INFORMATION OR TO THE PRODUCT IT DESCRIBES.

MUROBOND